

Appln No. 09/690,796  
Amdt date January 11, 2006  
Reply to Office action of October 12, 2005

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A secure on-line system for printing value bearing items (VBI) comprising:

a client system for interfacing with a plurality of users; and

a server system ~~capable of~~ for communicating with the client system over a communication network comprising:

a secure database remote from the users including a data record for each of the users; and

a plurality of cryptographic modules, each of the plurality of cryptographic modules ~~capable of~~ for authenticating, processing value for the VBI, and generating indicia data for the plurality of users, wherein before each of the authentication, processing value, and generating indicia data for a given user is performed, the respective cryptographic module retrieves the data record for the given user from the database.

2.-4. (Cancelled)

5. (Previously Presented) The system of claim 1, further comprising computer executable code for an asynchronous dynamic password verification to terminate a user session if the password authentication fails.

6. (Previously Presented) The system of claim 1, wherein the database stores a first set of one or more last database transactions and each of the cryptographic modules stores a second set of one or more last database transactions for comparison with the first set of one or more last database transactions stored in the database to verify each database transaction.

7. (Previously Presented) The system of claim 6, wherein each of the cryptographic modules prevents further database transactions if the second set of one or more last transaction

**Appln No. 09/690,796**  
**Amdt date January 11, 2006**  
**Reply to Office action of October 12, 2005**

stored in the cryptographic module does not compare with the first set of one or more last transaction stored in the database.

8. (Original) The system of claim 6, wherein the database stores a table including the respective information about a last transaction and a verification module to compare the information saved in the module with the information saved in the database.

9. (Original) The system of claim 1, further comprising a back up database server connected to the server system for periodically backing up the data stored in the database in a back up database.

10. (Original) The system of claim 9, further comprising a cryptographically protected transaction log stored in the back up database.

11.-16. (Cancelled)

17. (Previously Presented) The system of claim 1, wherein each of the cryptographic modules includes a data validation subsystem to verify that data is up to date and an auto-recovery subsystem for allowing the module to automatically re-synchronize the module with the data.

18.-21. (Cancelled)

22. (Previously Presented) The system of claim 1, wherein each of the cryptographic modules includes a computer executable code for detecting errors and preventing a compromise of data or critical cryptographic security parameters as a result of the errors.

23.-41. (Cancelled)

42. (Original) The system of claim 1, wherein the server system further comprises one or more of a postal server subsystem, a provider server subsystem, an e-commerce subsystem, a

**Appln No. 09/690,796**  
**Amdt date January 11, 2006**  
**Reply to Office action of October 12, 2005**

staging subsystem, a client support subsystem, a decision support subsystem, a SMTP subsystem, an address matching service subsystem, a SSL proxy server subsystem, and a web server subsystem.

43.-49. (Cancelled)

50. (Currently Amended) A method for securely printing value-bearing items (VBI) via a communication network including a client system and a server system, the method comprising the steps of:

- interfacing with a plurality of users via the client system;
- communicating with the client system over the communication network;
- storing a data record for each of the plurality of users;
- retrieving the data record for a given user from the database for authenticating the given user;
- retrieving for a second time the data record for the given user from the database for processing value for the VBI for the given user;
- updating, and storing back in the database, the data record for the given user after processing value for the given user;
- retrieving for a third time the updated data record for the given user from the database for generating indicia data for the given user; and
- updating, and storing back in the database, the updated data record for the given user after generating indicia data for the given user.

51. (Previously Presented) The method of claim 50, further comprising the step of encrypting each database transaction by a cryptographic module.

52. (Previously Presented) The method of claim 50, further comprising the steps of  
storing one or more last database transactions in the database;  
storing one or more last database transactions in a cryptographic module; and

**Appln No. 09/690,796**  
**Amdt date January 11, 2006**  
**Reply to Office action of October 12, 2005**

comparing the one or more last database transactions stored in the database with the one or more last database transactions stored in a cryptographic module to verify each database transaction.

53.-54. (Cancelled)

55. (Previously Presented) The method of claim 50, further comprising the steps of storing one or more last database transactions in the database, storing one or more last database transactions in a cryptographic module for comparison with the one or more last database transactions stored in the database to verify each database transaction.

56. (Original) The method of claim 55, further comprising the step of preventing further database transactions if the one or more last transaction stored in the cryptographic module does not compare with the one or more last transaction stored in the database.

57. (Previously Presented) The method of claim 50, further comprising the step of storing a table including the respective information about a last transaction and comparing the information saved in a cryptographic module with the information saved in the database.

58. (Original) The method of claim 50, further comprising the step of backing up data stored in the database in a back up database.

59. (Original) The method of claim 58, further comprising the step of recovering data from the back up database by decrypting an encrypted transaction log stored in the back up database.

60. (Cancelled)

61. (Previously Presented) The method of claim 50, further comprising the step of storing in the database a plurality of security device transaction data for ensuring authenticity of each of the plurality of users, wherein each security device transaction data is related to a user.

**Appln No. 09/690,796**  
**Amdt date January 11, 2006**  
**Reply to Office action of October 12, 2005**

62.-91. (Cancelled)

92. (Currently Amended) An on-line system for printing value bearing items (VBI) comprising:

a client system for interfacing with one or more users;

a server system ~~capable of~~ for communicating with the client system over a communication network comprising:

a database including data records for the one or more users;

a cryptographic module for retrieving a data record for the user from the database and authenticating the user, retrieving the data record for the user from the database and processing value for the VBI for the user, retrieving the data record for the user from the database for generating indicia data for the given user, wherein after ~~each of~~ the processing value, ~~and generating indicia data~~ for the user is completed, the cryptographic module updates and returns to the database the data record for the user, and wherein after generating indicia data for the user is completed, the cryptographic module updates the data record for the user and returns to the database the updated data record.

93.-106. (Cancelled)

107. (Currently Amended) A method for printing value-bearing items (VBI) via a communication network including a client system and a server system, the method comprising the steps of:

interfacing with a user via the client system;

communicating with the client system over the communication network;

storing a data record for the user in a database;

authenticating the users by a cryptographic module;

retrieving the data record for the user from the database for processing value for the VBI;

updating, and storing back in the database, the data record for the user after processing value for the VBI;

retrieving for a second time the data record for the given user from the database for generating indicia data for the given user; and

**Appln No. 09/690,796**  
**Amdt date January 11, 2006**  
**Reply to Office action of October 12, 2005**

updating, and storing back in the database, the data record for the given user after generating indicia data for the given user.

108. (Previously Presented) The method of claim 107, further comprising backing up data stored in the database in a back up database and recovering data from the back up database by decrypting an encrypted transaction log stored in the back up database.

109. (Cancelled)

110. (Original)The method of claim 107, further comprising the steps of  
storing one or more last database transactions in the database;  
storing one or more last database transactions in the cryptographic module; and  
comparing the one or more last database transactions stored in the database with the one or more last database transactions stored in the cryptographic module to verify each database transaction.

111.-112. (Cancelled)

113. (Original)The method of claim 107, further comprising the steps of storing one or more last database transactions in the database, storing one or more last database transactions in the cryptographic module for comparison with the one or more last database transactions stored in the database to verify each database transaction.

114. (Original)The method of claim 113, further comprising the step of preventing further database transactions if the one or more last transaction stored in the cryptographic module does not compare with the one or more last transaction stored in the database.

115.-121. (Cancelled)